



POWERED BY TUYA

CREATE SMART LIFE STYLE

Contact info:

Tel: +86 755 8966 6210

Contact: Lamy Wey

WeChat: 609025636

WhatsApp: +86 183 1248 3603

Shenzhen MyQ Smart Technology Co.,Ltd

2#208, Xincanghai Industry Park, Xiusha Rd, Shatian Community Pingshan, Shenzhen

518000, Guangdong Province China

Email: lamy@myqsmarts.com

Website: www.myqsmarts.com <https://myqsmarts.en.alibaba.com/>

<https://expo.tuya.com/store/en/shop/P9fvi7r31fgup>

Shenzhen MyQ Smart Technology Co.,Ltd



Powered By Tuya

To build the largest trading and one-stop solution platform for smart home products



About us

Shenzhen MYQ Smart Technology Co., Ltd. is one of the most professional Powered by Tuya Smart Home Product Suppliers in Shenzhen, China. Our Associated factories are located in Shenzhen.

We offer various of Smart Home Products with more than 200 SKUs, including Smart Door Locks, Battery Powered Cameras, Video Doorbell, Smart Electrical Products, Smart Bulbs, Smart Pet Feeders, Smart Alarm Sensors&System, Smart Switches, Smart Curtains, Smart Humidifier, Smart Cleaning Robots and Smart Hotel Systems.

Currently, MYQ Smart Technology is already exported to Germany, Australia, Indonesia, Singapore and 40 other countries. Our company is always focused on the most advanced smart technologies and innovations.

Our products received CE, ROHS certificates, and achieved SAA certificates in Australia market. All of the products have been tested to ensure the quality before delivery. Cooperating with many famous brands gives us the privileged to offer you the best products at the most competitive price.

We received great reputation especially from Southeast Asia market for our professional experience in products customization, flexibility in MOQ, fast delivery and high ability of of quality supervision.

Our mission is to build the largest trading and one-stop solution platform for smart home products. We regard reasonable price, superior quality and good after-sales service as our priorities. We strive to achieve mutual growth and benefits with our partners and welcome potential buyers to enter the IoT smart home business with us.



Services We Offer

- ☆ Offer you the best products at the most competitive price
- ☆ Customization with flexible of MOQ, fast delivery and high ability
- ☆ Fast after-sales service within 24 hours
- ☆ 12 months warranty for all products





Product catalog

www.myqsmarts.com

05~08

Tuya Smart Locks

Tuya Smart Lock
Apartment Locks
Hotel Locks
U-Shaped Lock
Padlocks
Glass Lock

09~14

Smart Cameras

Indoor Cameras
Outdoor Cameras
Video Doorbell
Battery Camera
Floodlight Camera
Surveillance Kits

15~16

Tuya Smart Home Appliances

WiFi Smart Air Purifier
Humidifier
Diffuser

17

Pet Care Products

Pet Feeder
Pet Water Fountain

18~22

Smart Curtains

Opening & Closing Curtain Motors
Roller Shutter Motors
Window Openers
Garage Controller
Universal IR Controller

23~28

ZigBee/Wi-Fi Alarm Sensor

WiFi Alarm Kit
ZigBee Gateway
ZigBee Repeater
Door/Window Sensor
PIR Motion Detector
Water Sensor
Siren Alarm Sensor
3 in 1 Smart Sensor
Gas Leak Detector
CO Detector
Smoke Alarm
Humidity & Temperature Sensor
SOS Button


29~38

Smart Electrical

Power Strips
Power Outlets
Light Switches
Dimmer Switches
Scene Switches
Curtain Switch
3-Way Light Switches
Light Bulbs
Light Strips & String
Down Lights

POWERED BY TUYA
CREATE SMART LIFE STYLE

Control all your products via one APP account





Tuya Smart Locks



Wi-Fi/ZigBee Door Lock

MYQ-iLockX3

- 1.Fingerprint,Password,IC card,NFC Card APP temporary password , Key
- 2.Wireless Type:2.4GHz,Protocol:IEEE 802.11b/g/n/Optional for ZigBee 3.0
- 3.System Capacity:100
- 4.Force Break Alarm
- 5.Battery: 4*AA,Emergency power by USB
- 6.Force break alarm
- 7.Door Thickness:3-6cm
- 8.Mortise: 4585,5050,6085,7085 Lock body
- 9.Material:Zinc Alloy



WiFi Door Lock

MYQ-iLockG200

- 1.Fingerprint,Password,IC card,APP temporary password
- 2.Wireless Type:2.4GHz,Protocol:IEEE 802.11b/g/n
- 3.System Capacity:100
- 4.Battery: 4*AA,Emergency power by USB
- 5.Force break alarm
- 6.Door Thickness:8-30mm
- 7.Suitable for glass door, sliding door
- 8.Material:Zinc Alloy



Bluetooth Door Lock

MYQ-iLock06

- 1.Unlock way: Fingerprint / Password / Key (2pcs)/Tuya APP (BLE)
- 2.Wireless Type:Bluetooth 4.1
- 3.Password Capacity: 150
- 4.IC Card Capacity: 200
- 5.Fingerprint Capacity: 120
- 6.Fingerprint Reading: Semiconductor Sensor
- 7.Power supply: 4 AA batteries (battery not included)
- 8.USB charge port for emergency



WiFi Deadbolt Lock

MYQ-iLock T1

- 1.Unlock by Password Fingerprint, IC/NFC Card, Emergency Mechanical Key
- 2.Fingerprint storage capacity: 200 (pieces)
- 3.Power supply: 4 AA batteries (battery not included)
- 4.USB charge port for emergency
- 5.Material:Zinc alloy
- 6.Smart linkage with other smart home devices by scene setting
- 7.Wireless Type:2.4GHz,Protocol:IEEE 802.11b/g/n





WiFi Rim Lock

MYQ-iLockR5

- 1.Unlock by Password Fingerprint, IC/NFC Card, Emergency Mechanical Key
- 2.Wireless Type:2.4GHz,Protocol:IEEE 802.11b/g/n
- 3.System Capacity:100
- 4.4*AA Batteries Powered & With USB Emergency Powered
- 6.Material:aluminium alloy
- 9.Smart linkage with other smart home devices by scene setting



Bluetooth Lock Key Box

MYQ-iLock Kb3


- 1.Material: Zinc alloy body, stainless steel
- 2.Lock panel sizes: 165*72mm
- 3.Unlock mothod: App, fingerprint, code, card
- 4.Batteries type: 4pcs AAAAAlkaline batteries.
- 5.Color: Black
- 6.Level of protection:IP65
- 7.Password capacity: 150 groups
- 8.Working temperature: -25 to +55°C
- 9.USB back up power: Yes
- 10.Installation: Wall Mount/Shackle
- 11.Wireless protocol: Bluetooth, work with tuya bluetooth gateway



Bluetooth Door Lock

MYQ-iLockS2

1. Unlock way: Fingerprint / Password / Key (2pcs)/Tuya APP (BLE)
- 2.Wireless Type:Bluetooth 4.1
- 3.Password: 1Group, Fingerprint Capacity:50
- 4.Powered: 4*AA Batteries, USB charge port for emergency
- 6.Door Thickness:35-55mm
- 7.Default with 5845 mortise
- 8.Material:Zinc Alloy
- 9.Smart linkage with other smart home devices by scene setting



Wi-Fi Door Lock

MYQ-iLock X6

WiFi Door Lock

MYQ-iLock X6

- 1.5 in 1 unlock ways: Fingerprint, password, card, key, App
- 2.Material: aluminum alloy with 420 length panel
- 3.Fingerprint capacity: 100 groups
- 4.Number of administrators: 3
- 5.Mortise:6085
- 6.Password length: 6-12 digits
- 7.With anti-pry alarm
- 8.Power supply mode: 3200mAh lithium battery, rechargeable
- 9.USB charge port for emergency
- 10.Wireless Type:2.4GHz,Protocol:IEEE 802.11b/g/n



Smart Cameras



WiFi Battery Powered IP Camera

MYQ-BC06

1. 100% Wire-Free, place it anywhere, no cords or wiring hassels
2. 1080P, 110° view angle, Night vision 15m (49ft)
3. PIR Motion detection distance up to 8m
4. Support Wi-Fi 2.4 GHz, IEEE 802.11b/g/n
5. Support 2-way audio communication straight from smartphone
6. Support Max. 128G TF Card
7. Battery: 10000mAh long-lasting rechargeable lithium battery
8. Standby 6-8 months (every day wake up 15 times, each time 15s)
9. IP65 Outdoor Waterproof, Magnetic bracket & Screw brackets
10. Flexible powering by power adapter and optional by solar panel



Solar Panel for MYQ-BC06

MYQ-SP01

Max Power: 3W
Tolerance: ±5%
Vmp: 5.0V
Imp: 0.573A
Cable: 3M
working condition: -20 °C - 50 °C
Dimension: 13*18*2cm



Outdoor IP Camera

MYQ-OC2

1. 1080P Two way audio security bullet camera
2. Two way audio: Max. 128G TF card
3. Cloud storage , Support Google/Alexa
4. IP66 certified waterproof protection grade
5. Alarm recording with instant App push notifications
6. Motion detection triggered with alarm snapshot
7. Works with Amazon Alexa, Google Home



Outdoor PTZ WiFi IP Camera

MYQ-OC3

1. 1080P Resolution, Support HD/SD switching
2. Support Motion Detection
3. IP65 Waterproof
4. Support Two-way audio
5. Support SD card (up to 128G)
6. Support for private cloud storage, cloud storage.
7. Pan 355, Tilt 110,
8. IR Night Vision Distance: 10 meters
9. Power: DC 5V-2A
10. Works with Amazon Alexa, Google Home





Outdoor Floodlight IP Camera

MYQ-FLC01

- 1.1080P IP Camera with LED flood light (5000lm)
- 2.Two Way Audio
- 3.Power: DC12V2A
- 4.Supports Max. 128G SD card
- 5.Motion Detection, Night vision 10m
- 6.Works with Amazon Alexa, Google Home



WiFi Video Doorbell

MYQ-TD9

- 1.1080P WiFi Video Doorbell
- 2.Solution: F23 + HI3518E
- 3.3.6mm Lens, Angle: diagonal 155°
- 4.Cloud Recording
- 5.Accurate motion detection by PIR
- 6.2-way Audio Intercomm
- 7.Current: 200mA (Awake), 200μA (Standby)
- 8.Max. 128GB Micro SD Card
9. Powered by 2pcs 18650 Batteries(6500mAh), 6-8 months' Using
- 10.Included: USB Chime+2*Batteries+Accessories Pack
- 11.Works with Google Home & Alexa Echo



Indoor PTZ WiFi IP Camera

MYQ-IC1

1. 1080P WiFi IP Camera
2. Two Way Audio
3. Infrared light with Night Vision 10M
4. Max. 128G TF Card
5. 2.4G Wi-Fi Connection
6. Works with Alexa & Google Assistant
7. 5V 1A Power Adapter
8. APP Push Notification Alarm
9. Alarm with Snapshot
10. Tilt: -10°~75°; Pan:0~350°
- 11.Works with Amazon Alexa, Google Home



Indoor Fixed IP Camera

MYQ-IC3

- 1.1080P Mini IP Camera
- 2.Two Way Audio
- 3.90° Degree view angle
- 4.Supports Google/Alexa
- 5.Supports Max. 128G SD card
- 6.Motion Detection, Night vision 10m
- 7.Works with Amazon Alexa, Google Home





WiFi Video Doorbell

MYQ-TD8

- 1.2.0MP 1080P HD resolution, view angle:166°
- 2.Works with Alexa & Google
- 3.One month free Cloud Recording
- 4.PIR detected within 5m, 120°
- 5.Full Duplex 2-way Audio Intercom
- 6.Battery 6500mAh, Standby for 6-8 months.
- 7 Optional Power by AC12-36V
- 8.Max. 128GB Micro SD Card
- 9.Price Included: Doorbell+Chime+2*Batteries+Accessories Pack



Video Doorbell

MYQ-TD6

- 1.1080P HD Video, two-way voice, IP65 Waterproof
- 2.PIR motion detection, human body sensing capture, APP alarm pushes;
- 3.166 degree super wide angle lens,10m night vision
- 4.Support Max.128G TF card storage and cloud storage
- 5.6700 mAh battery, charging once and standby for up to 6-8 months
- 6.Optional powered by AC/DC 12-24V
- 7.Micro USB 5V charging
- 8.Works with Google/Alexa



Wireless WiFi NVR Kit 4CH

MYQ-6204-FN

- 1.NVR:1080P H.265+, 2.0MP(1920*1080), Plug & Play
- 2.3.6mm Lens, 3PCS Array LED, IR distance 20m
- 3.Outdoor Waterproof IP65
- 4.Wi-Fi Connection, Smartphone Access
- 5.1*4Channel NVR with 4*2MP Bullet Cameras



WiFi NVR Kit 8CH

MYQ-6208-FN

- 1.1080P H.265+, 2.0MP(1920*1080), Plug & Play
- 2.3.6mm, Lens,3PCS Array LED, IR distance 20m
- 3.Outdoor Waterproof IP65
- 4.Wi-Fi Connection, Smartphone Access
- 5.1*8Channel NVR with 8*2MP Bullet Cameras

WiFi Ultrasonic Humidifier

HF01

- 1.Rated power: 28W, 3 Levels Adjustable
- 2.Water Tank Capacity: 8.0L
- 3.Maximum Evaporation: 280mL/h
- 4.Control Mode: Intelligent (remote control)
- 5.Wireless Type:2.4GHz,Protocol:IEEE 802.11b/g/n
- 6.Product Size: 250*250*680mm



WiFi Purifying Type Humidifier

HF02

- 1.Rated power: 18W,2 Levels Adjustable
- 2.Water Tank Capacity: 4.0L
- 3.Maximum Evaporation: 250mL/h
- 4.Control Mode:Intelligent (remote control),UV Sterilizing
- 5.Wireless Type:2.4GHz,Protocol:IEEE 802.11b/g/n
- 6.Product Size:240*240*335mm



Aroma Diffuser

MYQ-J06

- 1.Vibrates at a frequency of 2.4 million times per second, produces a very fine mist
- 2.Auto stop to work automatically when water ran out
- 3.PP Material,100% human friendly.
- 4.Continuously working time:5 Hours.
- 5.Intermittent working time:10 Hours
- 6.Seven Color Changing LED Light, changing atmosphere
- 7.Wi-Fi 2.4GHz Connection to App
- 8.Power by DC 24V, 10W

WiFi Smart Air Purifier

MYQ-AHP

- 1.Purifying area:within 36 square meter
- 2.Hepa filter: 4 layers with 180days lifetime
- 3.Pre+HEPA+Activated carbon+Inner protector
- 4.Power supply:AC100-240V
- 5.Noise:25-65dB (25dB for sleeping mode)
- 6.Four controls Wi fiintelligent voice/phone APP /remote control/Touch screen
- 7.100% Ozone Free Never use UV-C light or anion purification methods that can cause harm to the user.
- 8.CADR210m3/h large purification capacity within 36 square meter.
9. 4-Stage Filtration System
- 10.sleep mode and white noise sleeping music.
- 11.Three wind speeds adjustable.
- 12.Timer setting.
- 13.Three modes for choices. Auto mode-sleep mode-favorite mode Sleep mode with white noise sleeping music.
- 14.child-lock. 10.Air quality led light.

Tuya Pet Care Products



Smart Pet Food Feeder

MYQ-PD6

1. 1080P HD Video Camera
2. Two way audio
3. Capacity: 6L, food diameter: 2-10mm
4. Single meal: 25ml, total 1-6 meals setting
5. Cloud recording/SD Card Max. 128GB
6. Timing feeding, remote feeding
7. Recording settings, Live video, Voice interaction
8. Push message, multiplayer, event
9. With back up battery supply design to avoid suddenly powered off and Bite off




Smart Pet Water Fountain

MYQ-PD8

1. WiFi Connection
2. Mobile phone remote control
3. Capacity: 2.5L
4. Timing feeding, remote feeding
5. Encourage pets to stay hydrated, Features a 2 liter water tank, activated carbon filter, and soft trickling water pump.

Smart Curtains



MYQ-MT121



MYQ-MT750



MYQ-MT190

Smart Curtain Motor

1. Max. support 12m rail track
2. Max. support 60kg weight
3. Running Speed: 14-16cm/s
4. Voltage: 100-240 AC
5. Rated Current: 2A
6. Rated Power: 48W
7. Revolution per minute: 100rpm
8. Torque: 1.5-2N.m
9. WiFi & ZigBee 3.0 Optional



35mm Tubular Blind Motor

ZM35E-10/17

- *Powered by Tuya
- *Optional for ZigBee & Wi-Fi
- *Max load KG:40KG
- *Fit to:General window length less than:4 meters & Tube:50/55mm
- Brief Technical
- *Motor Diameter:35mm, *Torque:10Nm
- *Rated RPM:17RPM, *Rated power:125W
- *IP Class:IP44, *Rated Voltage:220-240V (need confirm voltage before order)
- *Rated current:0.54A, *Rated Frequency:50/60Hz
- *Receiving Frequency:433.92MHz



25mm Tubular Blind Motor

ZM25TQ-0.8/3

- *Powered by Tuya
- *Optional for ZigBee & Wi-Fi
- *Max load KG:4.21KG
- *Fit to:General window length less than:2.5 meters & Tube:38mm
- Brief Technical
- *Motor Diameter:25mm, *Torque:0.8Nm
- *Rated RPM:33RPM, *Rated power:22W
- *IP Class:IP44, *Rated Voltage:100V~240V
- *Rated current:0.1A, *Rated Frequency:50/60Hz
- *Receiving Frequency:433.92MHz



DIY Smart Curtain Kit

- 1.Curtain Motor optional for ZigBee & Wi-Fi
- 2.Available for DC 12V Motor & AC 100-250V Motor
- 3.DIY Kits for 2.2m, 3.2m, 4.2m, 5.2m, 6.2m, 7.2m, 8.2m
- 4.Kit included: Curtain Motor+Remote Controller+Rails+ Accessories Pack
- 5.Full set accesso

Curtain Track Kit Specification								
No	Size	Track Length (mm)	Track Length (mm)	Adjustable Track				suitable (m) (wall to wall)
				Track Length (mm)			Track connector (mm)	
		1000	100	500	200	100	100	
1	2.2m	2.2m	1	1	1	2	1	Under2.2m
2	3.2m	3.2m	2	2	1	2	1	2.2m-3.2m
3	4.2m	4.2m	3	3	1	2	1	3.2m-4.2m
4	5.2m	5.2m	4	4	1	2	1	4.2m-5.2m
5	6.2m	6.2m	5	5	1	2	1	5.2m-6.2m
6	7.2m	7.2m	6	6	1	2	1	6.2m-7.2m
7	8.2m	8.2m	7	7	1	2	1	7.2m-8.2m



WiFi Window Opener

ZM30E-DT 300mm

- *Powered by Tuya
- *Vailable for WiFi Version & ZigBee Version
- *Chain Length: 300mm / 400mm
- *Pushing force□250N
- *Driving Speed□10mm/s
- *IP Class□IP42
- *Rated Frequency□50/60Hz
- *Receiving frequency□433.92MHz
- *Rated Voltage□AC100□240VAC
- *Max Current□0.15A
- *Max power: 30W
- *Temperature: -20 ~ +75□
- *Material of Chain: Carbon Steel.
- *Material of motor surface:Aluminium alloy



ZigBee Blind Bead Chain Motor

ZM85EL-1XW

- *Vailable for WiFi Version & ZigBee Version
- *Safe load : □2.50KG
- *Fit to most of the blind chain curtain in the market
- *6 Controls: Percentage, Timer, Voice, App, RF, Manual control
- *Motor dimension:
- *Torque:0.5Nm
- *Rated RPM:30RPM
- *Rated power:8W
- *Rated Voltage:DC8.4V
- *Rated current:0.5A
- *Battery Capacity: 3000mAh
- *Charging adapter: DC5V/2A
- *5V Solar charging board is optional
- *Rated Frequency:50/60Hz
- *Receiving Frequency:433.92MHz
- *Works with Amazon, Google Home



ZigBee Universal Curtain Robot Motor

ZM85EL-2Z

- *Vailable for WiFi Version & ZigBee Version
- *Safe load : □20KG
- *Fit to: Rome rod, Straight track, Curved tracks
- *6 Controls: Percentage, Timer, Voice, App, RF, Manual control
- *Wireless Control: ZigBee, WiFi, RF Remote
- *Motor dimension:
- *Torque:0.5Nm
- *Rated RPM:30RPM
- *Rated power:8W
- *Rated Voltage:DC8.4V
- *Rated current:0.5A
- *Battery Capacity: 3000mAh
- *Charging adapter: DC5V/2A
- *5V Solar charging board is optional
- *Rated Frequency:50/60Hz
- *Receiving Frequency:433.92MHz
- *Works with Amazon, Google Home

WiFi Smart DIY Curtain Kit

Safe load: 80kg

Standard collocation from 2.2m to 8.2 meters.

Rated RPM:100RPM

Rated Power:88W

Percentage, Timer control

.Automatic limit setting

Light touch start function



ZigBee/Wi-Fi Alarm Sensor



Tuya WiFi Alarm Kit

MYQ-AKIT01

1. On-site high-decibel alarm, flashing lights and other alarm modes.
2. Home Arm, Away Arm, Disarm
3. Low-battery detection
4. Battery back up function
5. Tamper detection.
6. Kit included: Host*1 / Remote Control*1 / PIR motion sensor *1
Door Window sensor *1 / Doorbell button *1 / Power Adapter *1



WIFI+GSM Alarm System Kit

MYQ-AKIT02

1. 24 wireless zones for 24 wireless sensors and 10 remote controls
2. Wireless Frequency: 433MHz
3. GSM frequency: 850/900/1800/1900MHz
4. Backup Rechargeable Battery: lithium DC7.4V
5. Alarm Loudness: 85dB (Internal siren)
6. 6 groups of alarm phone call, 3 groups of SMS phone No.
7. Low battery remind function
8. Add sensors&remote controls, set alarm phone NO. and SMS message NO. on "Tuya" APP, Operate easily!



Wi-Fi Alarm Sensor



Door Sensor/
Window Sensor

MYQ-ADS01



Door Sensor/
Window Sensor

MYQ-ADS02



Motion Sensor

MYQ-AMS01



3 in 1 Smart Sensor
(Temperature+ Humidity
+Siren alarm)

MYQ-THS01



Temperature &
Humidity Sensor

MYQ-THS02



Smoke Detector

MYQ-ASK01



Gas/Water Auto Valve

MYQ-AVO01



Water Flood Sensor

MYQ-AWS01



Water Leak Detector

MYQ-AWS02



Gas Detector

MYQ-AGD01



Carbon Monoxide
Detector

MYQ-ACO



Siren Sensor

MYQ-ASA01



SOS Panic Button

MYQ-ASS01



Smoke Detector

MYQ-ASK02

ZigBee Alarm Hub



Wireless ZigBee Gateway (WiFi Version)

- MYQ-ZGW01**
- 1.Max.can be enclusion ZigBee sub-devices up to 35pcs
 - 2.Power by Adapter: 5V/1A DC
 - 3.Indicator LED: one power LED, one network LED.
 - 4.Button: one reset button
 - 5.Wireless Type:ZigBee 3.0,Frequency: 2.4 ~ 2.485GHz IEEE 802.15.4
 - 6.WiFi 2.4GHz,Protocol:IEEE 802.11b/g/n



ZigBee Gateway(Ethernet)

- MYQ-ZGW02**
- 1.Max.can be enclusion ZigBee sub-devices up to 120pcs
 - 2.WAN 10/100M Ethernet Port(RJ45)
 - 3.Power by Adapter: 110V ~ 240V AC, 5V/1A DC
 - 4.Indicator LED: one power LED, one network LED.
 - 5.Button: one reset button
 - 6.Wireless Type:ZigBee 3.0,Frequency: 2.4 ~ 2.485GHz IEEE 802.15.4



ZigBee Gas Detector

- MYQ-ZGD01**
- 1.Detect Gas leak & sends alarm sounds & sends alarm push notifications
 - 2.Detected Gas type:gas,natural gas,coal,LPG
 - 3.Powered by 110V-220V/AC
 - 4.Working Current:<100MA
 - 5.Pre-heat time:30s
 - 6.Average Consumption: <2W
 - 7.Alarm sound: 75dB
 - 8.Wireless Type: ZigBee 3.0



ZigBee Siren Alarm

- MYQ-ZSA01**
- 1.Give loud sounds & red lighting when alarm triggered
 - 2.Support smart scene setting with other alarm devices like(door/window/motion sensor)
 - 3.Adjustable alarm sounds time
 - 4.Turn ON/OFF alarm sounds via App
 - 5.Back-up battery,350MA Li-H rechargeable battery. Powered by AC100-240V
 - 6.dB Volume: 135dB
 - 7.Wireless Type: ZigBee 3.0

Tuya ZigBee Smart Devices



Smart PIR Motion Sensor with USB power supply

MYQ-ZMS03

- 1.Support USB power supply
- 2.Support :CR123 battery, easier to buy and replace Double source power supply, no need to worry about pwoer problem (USB power and battery can be switched seamlessly)
- 3.Support Amazon Alexa , Google home voice control
- 4.Detecting Range:≤8 Meters
- 5.Viewing angel:120 degree
- 6.Operating Temperature:-10℃ ~+50℃
- 7.Operating Humidity:Maximum 95%RH
- 8.Installation Height:1.2~2.1 Meters
- 9.Dimensions: 48x29x51mm



ZigBee Smoke Detector

MYQ-ZSK01

- 1.Detect smoke & sends alarm push notifications
- 2.Give loud sounds & red lighting when alarm triggered
- 3.Powered by 2*AAA 1.5V Alkaline Battery
- 4.Low Battery Alert
- 5.Standby Current: ≤30uA, Working Current:≤300mA
- 6.Use Time: 1 years(20 times/day);2 years(10 times/day)
- 7.90dB Alarm Sound
- 8.Wireless Type: ZigBee 3.0,Frequency: 2.4 ~ 2.485GHz IEEE 802.15.4

Tuya Smart ZigBee Alarm Sensors



Door/Window Sensor



Door/Window Sensor



PIR Motion Sensor



PIR Motion Sensor



T&H Sensor



3 in 1 PIR Motion Sensor



Temperature & Humidity Sensor



3 in 1 Siren Alarm Sensor



ZigBee Gateway



Vibration Sensor



Water Sensor



SOS Panic Button



Smoke Detector



Gas Detector



Siren Alarm Sensor

ZigBee LCD Display Temperature & Humidity Sensor

- 1.Detect environment's humidity & temperature value
- 2.Dimensions:ø61.2X23mm
- 3.Working temperature: -10 ~ 50 °C
- 4.Power supply: DC3V (AAA * 2 battery)
- 5.Support scene setting to trigger other devices when humidity & temperature change
- 6.Wireless Type:ZigBee 3.0,Frequency: 2.4 ~ 2.485GHz IEEE 802.15.4



Smart Electrical



MYQ-LS01



MYQ-LS02



MYQ-LS03



MYQ-LS04

Tuya Wi-Fi Touch Switch(EU/UK)

- | | |
|--|--|
| 1.Remote Control, timing,voice control | 5.EU Panel size: 86 * 86 * 34mm |
| 2.Input Voltage:100V-240V 50/60Hz | 6.Work with Amazon, Google |
| 3.Max load: 800W/Gang | 7.Wireless Type:2.4GHz,Protocol:IEEE 802.11b/g/n |
| 4.Wiring:Live+Neutral Wire | |



MYQ-LS01AU



MYQ-LS02AU



MYQ-LS03AU



Smart Wi-Fi Switch(US/AU)

- | | |
|---|--|
| 1.Power supply mode: need live wire+ neutral wire | 5.Standby consumption: 0.1mA |
| 2.Working Voltage: AC110-240V(50/60Hz) | 6.Wireless Type:2.4GHz,Protocol:IEEE 802.11b/g/n |
| 3.Max Load: 800W/Gang | 7.Panel size: 120 * 72 *34mm (US) |
| 4.Working Current: Max.10A | 8.SAA Certificates |



Wi-Fi Universal Socket

MYQ-A13U
Input Voltage:100V-240V 50/60Hz
Max. Current: 13A
Wiring:Live wire and Neutral Wire
Wireless Type:2.4GHz,Protocol:IEEE 802.11b/g/n
EU Panel size: 86 * 86 * 34mm

Wi-Fi 20A Switch

MYQ-A20T
Input Voltage:100V-240V 50/60Hz
Max. Current: 20A (4500W)
Wiring:Live wire and Neutral Wire
Wireless Type:2.4GHz,Protocol:IEEE 802.11b/g/n
EU Panel size: 86 * 86 * 34mm



Smart Boiler Switch

MYQ-BS01
1.Workable for boiler,aircon, heater
2.Working Voltage: AC110-240V(50/60Hz)
3.Max Load: 4400W
4.Working Current: Max.20A
5.Standby consumption: 0.1mA
6.Wireless Type:2.4GHz,Protocol:IEEE 802.11b/g/n
7.Panel size: 86 * 86 * 34mm (EU)
120 * 72 *34mm (US)



Smart Fan Switch

MYQ-FS01
1.Remotely Control Fan On/Off, Speed adjustable
2.Speed levels: 5 Levels
3.Working Voltage: AC110-240V(50/60Hz)
4.Max Load: 400W
5.Working Current: Max 2A
6.Standby consumption: 0.1mA
7.Wireless Type:2.4GHz,Protocol:IEEE 802.11b/g/n
8.Panel size: 86 * 86 * 34mm (EU)
120 * 72 *34mm (US)



Smart Dimmer Switch

MYQ-DS01
1.Touch Control to dim lights' brightness
2.Working Voltage: AC110-240V(50/60Hz)
3.Max Load: 400W
4.Working Current: Max 2A
5.Standby consumption: 0.1mA
6.Wireless Type:2.4GHz,Protocol:IEEE 802.11b/g/n
7.Panel size: 86 * 86 * 34mm (EU)
120 * 72 *34mm (US)



Smart Curtain Switch

MYQ-CS01
1.Working Voltage: AC110-240V(50/60Hz)
2.Max Load: 600W/Gang(Resistive load)
3.Working Current: Max 5A
4.Standby consumption: 0.1mA
5.Wireless Type:2.4GHz,Protocol:IEEE 802.11b/g/n
6.Panel size: 86 * 86 * 34mm (EU)
120 * 72 *34mm (US)

Tuya Smart Switches



MYQ-ZLS01



MYQ-ZLS02



MYQ-ZLS01

Smart Switch No Neutral(UK/EU)

- 1.Magnetic Relay, High Quality
- 2.Power supply mode: no need neutral wire
- 3.Available for 1Gang/2Gang/3Gang
- 4.Input voltage: 100V-240V/AC 50-60HZ
- 5.Single Channel Max.Load 5-500W
- 6.Panel material: Tempered Glass+Aluminum Alloy Frame
- 7.Wireless power consumption: ≤0.3 W
- 8.Wireless Type:ZigBee 3.0,Frequency: 2.4 ~ 2.485GHz IEEE 802.15.4
- 9.Panel size: 86 * 86 * 34mm



MYQ-ZLS01S



MYQ-ZLS02S



MYQ-ZLS03S

Smart Switch No Neutral(US/AU)

- 1.Magnetic Relay, High Quality
- 2.Power supply mode: no need neutral wire
- 3.Available for 1Gang/2Gang/3Gang
- 4.Input voltage: 100V-240V/AC 50-60HZ
- 5.Single Channel Max.Load 5-500W
- 6.Panel material: Tempered Glass+Aluminum Alloy Frame
- 7.Wireless power consumption: ≤0.3 W
- 8.Wireless Type:ZigBee 3.0,Frequency: 2.4 ~ 2.485GHz IEEE 802.15.4
- 9.Panel size: 120*72*34mm



MYQ-ZDM01

ZigBee Dimmer Switch

- 1.Adjust Brightness:1-10 levels
- 2.Control Mode:Knob rotation/App Control/Voice Control
- 4.Input Voltage:110V-125V AC 50/60Hz, 2A Max.
- 5.Max Power: 220W
- 6.Wiring:L+Neutral line
- 7.Wireless Frequency:Zigbee 2.4GHz, 3.0 version
- 8.Wireless Standard:IEEE 802.15.4
- 9.Standby Power <0.3W
- 10.Working Life:100000Times
- 11.Materials:Tempered Glass+Aluminum Alloy Frame
- 12.Product Size:118*50*34mm /86*86*34mm(EU)



MYQ-ZSP01

ZigBee Scene Switch

- 1.Battery:CR2032
- 2.Static Power: 0.001W
- 3.Wireless Frequency:Zigbee 2.4GHz, 3.0 version
- 4.Wireless Standard:IEEE 802.15.4
- 5.Standby Power <0.3W
- 6.Working Life:100 000Times
- 7.Materials:Tempered Glass+PC flame retardant
- 8.Product Size:86*86*8mm(EU)



MYQ-ZCS01

ZigBee Curtain Switch

- 1.Input Voltage:100V-240V AC 50/60Hz
- 2.Max Power: 200W
- 3.Wiring:L+Neutral line
- 4.Wireless Frequency:Zigbee 2.4GHz, 3.0 version
- 5.Wireless Standard:IEEE 802.15.4
- 6.Standby Power <0.3W
- 7.Working Life:100 000Times
- 8.Materials:Tempered Glass+Aluminum Alloy Frame
- 9.Product Size:86*86*34mm(EU)



Universal IR Controller



WiFi Smart IR Controller

- 1.Infrared Angle with 360 Degree
- 2.Infrared Frequency:38-56K Hz
- 3.Remotely Control Air Conditional,TV,MideaBox,Set-Top Box,I-Switch
- 4.Power by DC5V/1A
- 5.With learning code function

WiFi



MYQ-IRS06

Zigbee



MYQ-IRZS06 Zigbee

IR+Temperature+Humidity Sensor



MYQ-IRS06 Pro



MYQ-IRS08



MYQ-IRZS08 Zigbee



MYQ-IRS08 Pro



Tuya Smart WiFi Thermostat

MYQ-ATS01

- 1. Voltage: AC90-240V
- 2. Current:3A
- 3. IP: IP20
- 4. Accuracy:±0.5°C
- 5. Sensor:86*86mm
- 6. Output: On/off type
- 7. Display Temperature Range: 0-72°C
- 8. Work environment: -10°C - 60°C
- 9. Setting range: 5°C-35°C
- 10. Mounted: in the wall type

Tuya Wi-Fi Bulbs & Socket

Wi-Fi Smart Downlight

MYQ-CL01

- 1.Input:AC100-250V
- 2.Power: 9W,RGB+WW+CW
- 3.Lumen: 1000lm
- 4.Product size:14.5*70mm
- 5.Lifespan:20000H
- 6.Wireless: Wi-Fi 2.4GHz, IEEE802.11b/g/n
- 7.Work with Amazon Echo, Google Home



Tuya Wi-Fi LED Strip Kit

MYQ-LK05

- 1.1*5 meters LED strip (IP66 waterproof)
- 2.1* Controller box
- 3.Power adapter: 1*12V/5A adapter
- 4.Protection rate: 5050 (IP65)
- 5.Working voltage: 12V DC
- 6.Power: 5050(14.4W/m)
- 7.LED quantity: 60 LEDs/m, 5meter/roll
- 8.View angle: 120 ° - 140 °
9. Work with Amazon Echo, Google Home, IFTTT



9W Wi-Fi Smart Bulb

MYQ-LB27

- 1.Input:AC100-250V
- 2.Power: 9W,RGB+WW+CW
- 3.Lumen: 900lm
- 4.Connector:E27/B22
- 5.Product size:60*120mm
- 6.Lifespan:>20000H
- 7.Wireless: Wi-Fi 2.4GHz, IEEE802.11b/g/n
- 8.Work with Amazon Echo, Google Home



Wi-Fi Smart Extension Power Strip

- 1.Type: USB+Plug
- 2.Input Voltage: 100V~240V
- 3.Max.Current:10A
- 4.Wireless: Wi-Fi 2.4GHz, IEEE802.11b/g/n
- 5.USB Voltage/Current:5V/2.1A
- 6.Cable Length:2.1M
- 7.Work with Amazon Echo, Google Home

MYQ-P10(EU)



MYQ-P10(UK)



MYQ-UK01



MYQ-EU01



MYQ-US01



MYQ-IN01

Wi-Fi Smart Power Plug

- 1.Type: EU/UK/US
- 2.Input Voltage: 100V~240V
- 3.Max.Current:10A/16A
- 4.Wireless: Wi-Fi 2.4GHz, IEEE802.11b/g/n
- 5.Work with Amazon Echo, Google Home
- 6.Optional for with power meter